





CPD PROJECT Number - Project Name

If your project does not require a particular product, hide that column in all spread sheets. For instance if the project is all Cat 6a cable and there is not cable TV, hide columns G, I and N. If other cable types are used modify existing headers or add a column if necessary.

Xst Floor IDF (Room Number)																								
OUTLET	ROOM	INFRASTRUCTURE				CABLE PLANT				UW SERVICE TYPE				1 Gig	10 Gig	POE Blank	POE Watts	Static IP			Subnet	Port Label	IP Address Info	COMMENT
		CO	SMR	BOX	DIST	UTP	UTP			IP	ANALOG							DATA	DATA	Facnet				
Panel Port	NAME	SIZE	SIZE	SIZE	AFF	CAT 5E	CAT 6A	CATV	FIBER	PHONE	VOICE FAX	FACnet	DATA	DATA	/Yes	Required					Default is "E-net"			
<b>Building Systems Outlets Grouped</b>													Indicate if port is to be activated in 1 Gig or 10 Gig column with a "1". If not activated leave blank.				Port labeling instructions for UWMC projects go to: <a href="https://docs.google.com/spreadsheets/d/1d0qeolH8UCMmm72BhKcO-">https://docs.google.com/spreadsheets/d/1d0qeolH8UCMmm72BhKcO-</a>							
111.1.A01																								
111.1.A02	Outlet schedule port naming convention; example 111.1.A48 where 111 = the room (space) number, .1 is the outlet sequence in the space, .A the panel, and 48 is the panel port																							
111.2.A03																								
111.3.A04																								
111.4.A05																								
<b>Bldg Systems Totals</b>						0	0	0	0	0	0	0	0	0										
<b>Standard Outlets</b>																								
111.1.A01																								
111.1.A02	See Data naming convention; <a href="https://itconnect.uw.edu/work/uw-it-design-guide/">https://itconnect.uw.edu/work/uw-it-design-guide/</a> (Labeling, drawing, Labeling Scheme for Room Outlets)																							
111.2.A03																								
111.2.A04	Outlet schedule port naming convention; example 111.1.A48 where 111 = the room (space) number, .1 is the outlet sequence in the space, .A the panel, and 48 is the panel port																							
111.3.A05																								
111.3.A06																								
<b>Standard Outlet Totals</b>						0	0	0	0	0	0	0	0	0										
<b>Wireless Outlets</b>																								
See Wi-Fi naming convention; <a href="https://itconnect.uw.edu/work/uw-it-design-guide/">https://itconnect.uw.edu/work/uw-it-design-guide/</a> (A/E Guide for Design of Distributed Network ...Part 2.2E ..Naming convention)																								
CCC.RRR.APyy																								
CCC.RRR.APyy																								
CCC.RRR.APyy																								
CCC.RRR.APyy																								
CCC.RRR.APyy																								
CCC.RRR.APyy																								
CCC.RRR.APyy																								
<b>Wi-Fi Aps Totals</b>						0	0	0	0	0	0	0	0	0										
<b>Cameras</b>																								
<b>Camera Totals</b>						0	0	0	0	0	0	0	0	0										
<b>Xst Floor Totals</b>						0	0	0	0	0	0	0	0	0										
Xnd Floor going to IDF (Room Number)																								

If the IDF serves multiple floors copy the groupings from above here modify and add the information for the line items. If not delete the header above.

Create copies of this sheet (a new tab in this work book) and rename as required to cover all the Communication Closets and Floors for this project.